

SAFETY DATA SHEETS

DURA-STAMP CONDITIONER

Page 1 of 3

SECTION 1: COMPANY AND PRODUCT INFORMATION

MANUFACTURER'S NAME/ADDRESS:

TRADE NAME: DURA-Stamp Conditioner

DURACORP

2664 VISTA PACIFIC
OCEANSIDE, CA 92056
(760) 758-7240

CHEMICAL NAME: PARAFFIN OIL

MAIN USE: CONDITIONING STAMP

SECTION 2: COMPOSITION / INGREDIENT INFORMATION

<u>Ingredient/CAS #</u>	<u>Exposure Limits</u>
Paraffin oil, 8042-47-5	OSHA PEL 5 mg/m ³ TWA ACGIH 5 mg/m ³ TWA

- PEL for "oil mist."

(TWA) - Time Weighted Average is the employee's average airborne exposure in any 8-hour work shift of a 40-hour workweek, which shall not be exceeded.

(STEL) - Short Term Exposure Limit is the employee's 15-minute time weighted average exposure which shall not be exceeded at any time during a work day unless another time limit is specified.

SECTION 3: HAZARD IDENTIFICATION

PRIMARY ROUTE(S) OF ENTRY: Inhalation, skin or eye contact

EYE: May cause slight eye irritation including stinging, irritation or redness.

SKIN: May cause mild irritation.

INGESTION: Swallowing small amounts during normal handling is not likely to cause harmful effects (> 1tsp may cause laxative effect). If this liquid is swallowed, aspiration into the lungs may result in chemical pneumonitis.

INHALATION: Not expected to be a hazard during normal use. However, small amounts aspirated into the lungs may cause pulmonary injury.

CARCINOGENICITY: To the best of our knowledge, this product does not contain constituents at concentrations exceeding 0.1% that are listed as carcinogens by IARC, NTP, or OSHA.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None

SECTION 4: FIRST AID MEASURES

EYE CONTACT: Move to fresh air. Flush with water for 15 minutes. Seek medical attention if irritation persists.

SKIN CONTACT: Remove contaminated clothing. Wash thoroughly with soap and warm water. If symptoms develop, seek medical attention.

INHALATION: Remove to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Seek medical attention.

INGESTION: Aspiration hazard: do not induce vomiting or give anything by mouth because this material can enter the lungs and cause lung damage. A medical professional must weigh aspiration hazard against oral toxicity when deciding whether to induce vomiting.

SECTION 5: FIRE FIGHTING MEASURES

FLASHPOINT: > 309°F Slightly Combustible Liquid.

FIRE HAZARDS: Do not use near ignition source, spark, or open flame. Never use welding or cutting torch on or near drum.

EXTINGUISHING MEDIA: CO₂, dry chemical, or foam; use water to keep containers cool. **HAZARDOUS COMBUSTION PRODUCTS:** Carbon monoxide, carbon dioxide, aldehydes, and other potentially toxic and irritating compounds.

OTHER INFORMATION: Firefighters wear SCBA and full-body protective suit.

PROLINE DECORATIVE CONCRETE SYSTEMS

SAFETY DATA SHEETS

DURA-STAMP CONDITIONER

SECTION 6: ACCIDENTAL RELEASE MEASURES

Extinguish sources of ignition. Stop or reduce discharge if it can be done safely. Contain spill to minimize environmental contamination. Absorb spill with inert absorbent and place in container for disposal. Dispose of in accordance with regulations.

SECTION 7: HANDLING AND STORAGE

HANDLING: Avoid breathing vapor and avoid prolonged and repeated contact with skin. Use in well-ventilated area. Do not eat, drink or smoke in work area; wash hands before undertaking these activities.
STORAGE: Store in a cool, dry, well ventilated area. Keep away from ignition sources. Keep from freezing.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Provide general and/or local exhaust to maintain airborne concentrations below exposure limits.
PERSONAL PROTECTIVE EQUIPMENT: Use safety glasses, and chemical-resistant gloves.
RESPIRATORY PROTECTION: Respiratory protection is not normally needed unless product is heated or sprayed. If elevated airborne concentrations are anticipated, use a use NIOSH-approved respirator with dust/mist prefilters.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Colorless liquid	VAPOR PRESS.: <1 mm Hg @ 68F
ODOR: Odorless	EVAP. RATE: >1 (butyl acetate =1)
SOLUBILITY IN WATER: Dispersible	SPECIFIC GRAVITY: 0.84 @ 70°F
VAPOR DENSITY: >1 (air = 1)	BOILING POINT: Not determined
VISCOSITY: 13 cSt @ 40°C	

SECTION 10: STABILITY AND REACTIVITY DATA

CONDITIONS TO AVOID: Ignition sources, open flames, and extreme heat.
INCOMPATIBILITY WITH OTHER MATERIALS: Strong oxidizers.
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, aldehydes, and other potentially toxic and irritating compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

Please refer to Section 3 for available information on potential health effects.

Note: Duracorp has not conducted specific toxicology tests on this product.

SECTION 12: ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section 6 for information regarding accidental release and Section 15 for regulatory reporting information.

Note: Duracorp has not conducted ecological tests on this product.

SAFETY DATA SHEETS

DURA-STAMP CONDITIONER

Page 3 of 3

SECTION 13: DISPOSAL CONSIDERATION

WASTE DISPOSAL PROCEDURES: Place contaminated materials in a disposable container and dispose of in accordance with Local, State and Federal environmental regulations.

SECTION 14: TRANSPORT INFORMATION

DOT PROPER SHIPPING NAME: N/A

DOT HAZARD CLASS: N/A

DOT IDENTIFICATION NUMBER: N/A

DOT EMER. RESPONSE GUIDE NO: N/A

SECTION 15: REGULATORY INFORMATION

COMMUNITY RIGHT-TO-KNOW: This product does not contain any compounds above the *de minimis* reporting levels subject to SARA Section 313 reporting requirements.

DISPOSAL: Upon disposal, this material is not a RCRA hazardous wastes (per 40 CFR 261). Dispose of in accordance with federal, state and local regulations.

TRANSPORT: Not a hazardous material for shipping purposes based on *United Nations Recommendations for the Transport of Dangerous Goods* and 49 CFR Part 171. EMERGENCY

SHIPPING INFORMATION: Call CHEMTREC, 800/424-9300.

HMIS RATING: Health-1, Flammability-1, Reactivity-0

SECTION 16: OTHER INFORMATION

Initial Issue

Revision JUNE 25, 2013

Prepared By: L. ANDERSON

DISCLAIMER: The information contained herein is considered accurate; however, Proline makes no warranty regarding the accuracy of the information. The user must determine the suitability of the product for the intended purpose.

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the accuracy of the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects, which may be caused by exposure to our products. Customers and users of this product must comply with all applicable health and safety laws, regulations and orders.

(NA = Not Applicable) (NE = Not Established) (ND = No Data) (NR = Not Required)