

Safety Data Sheet

Acetone

Version 2.1

Revision Date: 12/17/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Acetone
CAS Name : 67-64-1

Recommended use of the chemical and restrictions on use

Recommended use : Intermediate Solvent.

Manufacturer or supplier's details

Company : DURACORP
Address : 2664 VISTA PACIFIC DR
OCEANSIDE, CA 92056
United States of America

Emergency telephone number:

Headquarters: 800-795-4750
CHEMTREC (1-800-424-9300)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2
Eye irritation : Category 2A
Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

GHS Label element

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Safety Data Sheet

Acetone

Version 2.1

Revision Date: 12/17/2015

Precautionary statements : **Prevention:**
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Storage:
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Safety Data Sheet

Acetone

Version 2.1

Revision Date: 12/17/2015

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Emergency Overview

Appearance	liquid
Colour	Clear, Colorless
Odour	sweet, aromatic
Hazard Summary	No information available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

CAS-No.	Chemical Name	Concentration (%)
67-64-1	Acetone	90 - 100

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : Consult a physician after significant exposure.
If unconscious place in recovery position and seek medical advice.
- In case of skin contact : If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.

Safety Data Sheet

Acetone

Version 2.1

Revision Date: 12/17/2015

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
Water spray

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
Flash back possible over considerable distance.
Do not allow vapor to accumulate in low or confined areas.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use a water spray to cool fully closed containers.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

NFPA Flammable and Combustible Liquids Classification:
Flammable Liquid Class IB

Safety Data Sheet

Acetone

Version 2.1

Revision Date: 12/17/2015

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
| Environmental precautions | : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). |

SECTION 7. HANDLING AND STORAGE

- | | |
|-----------------------------|---|
| Advice on safe handling | : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Container may be opened only under exhaust ventilation hood.
Open drum carefully as content may be under pressure.
Dispose of rinse water in accordance with local and national regulations. |
| Conditions for safe storage | : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards. |

Safety Data Sheet

Acetone

Version 2.1

Revision Date: 12/17/2015

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
67-64-1	Acetone	TWA	500 ppm	ACGIH
		STEL	750 ppm	ACGIH
		TWA	250 ppm 590 mg/m ³	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m ³	OSHA Z-1
		TWA	750 ppm 1,800 mg/m ³	OSHA P0
		STEL	1,000 ppm 2,400 mg/m ³	OSHA P0

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Acetone	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	50 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
In the case of vapour formation use a respirator with an approved filter.

Hand protection
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Safety Data Sheet

Acetone

Version 2.1

Revision Date: 12/17/2015

- Skin and body protection : impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : Clear, Colorless
- Odour : sweet, aromatic
- Odour Threshold : 62 ppm
- pH : 7 @ 10 g/l 20 - 25 °C (68 - 77 °F)
- Freezing Point (Melting point/range) : -95.35 - -93.9 °C (-139.63 - -137.0 °F)
- Boiling Point (Boiling point/boiling range) : 56 - 56.05 °C (133 - 132.89 °F)
- Flash point : -18 - -17 °C (-0.40 - 1 °F)
- Evaporation rate : 5.6 - 6.06
(Butyl Acetate = 1)
- Flammability (solid, gas) : No data available
- Burning rate : No data available
- Upper explosion limit : 2.5 - 14.30 %(V)
- Lower explosion limit : 2.6 %(V)
- Vapour pressure : 180 - 185 mmHg @ 20 °C (68 °F)
600 mmHg @ 50 °C (122 °F)
- Relative vapour density : 2 @ 20 °C (68 °F)
(Air = 1.0)

Safety Data Sheet

Acetone

Version 2.1

Revision Date: 12/17/2015

Relative density	: 0.786 - 0.789 @ 20 - 25 °C (68 - 77 °F) Reference substance: (water = 1)
Density	: 0.790 - 0.792 g/cm ³ @ 20 °C (68 °F)
Bulk density	: No data available
Solubility(ies)	
Water solubility	: completely miscible
Solubility in other sol- vents	: completely soluble @ 20 °C (68 °F) Solvent: organic solvents
Partition coefficient: n- octanol/water	: log Pow: -0.24 - -0.2
Auto-ignition temperature	: 465 - 560 °C
Thermal decomposition	: No data available
Viscosity	
Viscosity, dynamic	: 0.32 - 0.33 mPa.s @ 20 °C (68 °F)
Viscosity, kinematic	: 0.337 mm ² /s @ 40 °C (104 °F)
Surface tension	: 22.8 mN/m, 20 °C

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: Strong oxidizing agents

Safety Data Sheet

Acetone

Version 2.1

Revision Date: 12/17/2015

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

67-64-1:

Acute oral toxicity : LD50 (Rat): 5,800 mg/kg

Acute inhalation toxicity : LC50 (Rat): 76.0 mg/l
Exposure time: 4 h

Acute dermal toxicity : LD50 : > 7,426 mg/kg

Skin corrosion/irritation

Product:

Result: No skin irritation

Components:

67-64-1:

Species: Rabbit
Exposure time: 24 h
Method: In vivo
Result: Mild skin irritation

Serious eye damage/eye irritation

Product:

Result: Irritating to eyes.

Components:

67-64-1:

Species: Rabbit
Result: Irritating to eyes.
Exposure time: 24 h

Respiratory or skin sensitisation

Components:

67-64-1:

Test Type: Maximization test
Species: Guinea pig
Result: Did not cause sensitisation on laboratory animals.

Safety Data Sheet

Acetone

Version 2.1

Revision Date: 12/17/2015

Germ cell mutagenicity

Components:

67-64-1:

- Genotoxicity in vitro : Test Type: Mammalian cell gene mutation assay
Test species: Mouse lymphoma cells
Metabolic activation: Without metabolic activation
Method: OECD Test Guideline 476
Result: negative
- : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
- : Test Type: Chromosome aberration test in vitro
Test species: Chinese hamster ovary (CHO)
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
- Genotoxicity in vivo : Test Type: In vivo micronucleus test
Test species: Mouse
Application Route: Oral
Exposure time: 13 wk
Dose: 5,000, 10,000, 20,000 ppm
Result: negative
- Germ cell mutagenicity-Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Components:

67-64-1:

Species: Mouse, (female)
Application Route: Dermal
Exposure time: 365 d (90%) or 424 d (100%)
Dose: 0.1ml 90(71mg) or 100% (79mg)
Frequency of Treatment: 3 times per wk
NOAEL: 79

Result: did not display carcinogenic properties

- Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

Safety Data Sheet

Acetone

Version 2.1

Revision Date: 12/17/2015

Reproductive toxicity

Components:

67-64-1:

Effects on fertility : Species: Rat, male
Application Route: oral
Dose: 0, 5000, 10000 mg/L
Frequency of Treatment: 7 days/week
General Toxicity - Parent: LOAEL: 10,000
Fertility: 10,000

Effects on foetal development : Species: Rat
Application Route: Inhalation
Dose: 0, 440, 2200, 11000 ppm
Frequency of Treatment: 7 days/week
General Toxicity Maternal: NOAEC: 2,200 ppm
Teratogenicity: NOAEC: 11,000 ppm
Embryo-foetal toxicity: NOAEC: 2,200 ppm
Method: OECD Test Guideline 414
Result: No teratogenic potential
GLP: No data available

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

STOT - single exposure

Product:No data available

Components:

67-64-1:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

STOT - repeated exposure

Product:No data available

Components:

67-64-1:No data available

Safety Data Sheet

Acetone

Version 2.1

Revision Date: 12/17/2015

Repeated dose toxicity

Components:

67-64-1:

Species: Mouse, male

NOAEL: 20000

Application Route: Oral

Exposure time: 13 wk

Number of exposures: daily

Dose: 1250, 2500, 5000, 10000, 20000

Method: OECD Test Guideline 408

GLP: No data available

Species: Mouse, female

NOAEL: 20000

LOAEL: 50000

Application Route: Oral

Exposure time: 13 wk

Number of exposures: daily

Dose: 2500, 5000, 10000, 20000, 5000

Method: OECD Test Guideline 408

GLP: No data available

Repeated dose toxicity - Assessment : Causes mild skin irritation., Causes serious eye irritation.

Aspiration toxicity

Product:

May be harmful if swallowed and enters airways.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

67-64-1:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 6,100 mg/l

Safety Data Sheet

Acetone

Version 2.1

Revision Date: 12/17/2015

Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7,630 mg/l
Exposure time: 48 h
Test substance: Acetone

Toxicity to algae : Remarks: No data available

Persistence and degradability

Components:

67-64-1:

Biodegradability : Remarks: Readily biodegradable

Bioaccumulative potential

Components:

67-64-1:

Partition coefficient: n-octanol/water : log Pow: -0.24

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group

Safety Data Sheet

Acetone

Version 2.1

Revision Date: 12/17/2015

at 800-637-7922.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

IATA (International Air Transport Association): UN1090, ACETONE, 3, II, Flash Point:-18 - -17 °C(-0.40 - 1 °F)

IMDG (International Maritime Dangerous Goods): UN1090, ACETONE, 3, II

DOT (Department of Transportation): UN1090, ACETONE, 3, II

SECTION 15. REGULATORY INFORMATION

OSHA Hazards : Flammable liquid, Moderate eye irritant, Specific target organ toxicity - single exposure

WHMIS Classification : B2: Flammable liquid
D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Acetone	67-64-1	5000	5000

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard
Immediate (Acute) Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Safety Data Sheet

Acetone

Version 2.1

Revision Date: 12/17/2015

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489):

67-64-1	Acetone	100 %
---------	---------	-------

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

71-43-2	**Benzene	0.003 %
---------	-----------	---------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

71-43-2	**Benzene	0.003 %
---------	-----------	---------

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

67-64-1	Acetone	90 - 100 %
71-43-2	**Benzene	0 - 0.1 %

Pennsylvania Right To Know

67-64-1	Acetone	90 - 100 %
---------	---------	------------

New Jersey Right To Know

67-64-1	Acetone	90 - 100 %
---------	---------	------------

California Prop 65

	WARNING! This product contains a chemical known to the State of California to cause cancer.
--	---

71-43-2	**Benzene
---------	-----------

	WARNING! This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
--	---

71-43-2	**Benzene
---------	-----------

The components of this product are reported in the following inventories:

United States TSCA Inventory	:	y (positive listing) (On TSCA Inventory)
Canadian Domestic Substances List (DSL)	:	y (positive listing)

Safety Data Sheet

Acetone

Version 2.1

Revision Date: 12/17/2015

		(All components of this product are on the Canadian DSL.)
Australia Inventory of Chemical Substances (AICS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
New Zealand. Inventory of Chemical Substances	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Japan. ENCS - Existing and New Chemical Substances Inventory	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Korea. Korean Existing Chemicals Inventory (KECI)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
China. Inventory of Existing Chemical Substances in China (IECSC)	:	y (positive listing) (On the inventory, or in compliance with the inventory)

Special Notes:

: ** Other substances in the product which may present a health or environmental hazard.

Safety Data Sheet


Acetone

Version 2.1

Revision Date: 12/17/2015

SECTION 16. OTHER INFORMATION **Further information**

NFPA:



HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO™ Solutions EHS Product Safety Department (1-855-429-2661) MSDS@nexeosolutions.com.

Legacy SDS:

R0004335

Material number:

16045424, 16034875, 16066700, 16066699, 16066718, 16066717, 16101394, 16098884, 16075697, 16071303, 16070561, 16070557, 16069569, 16055833, 16055832, 16055831, 16055830, 16055829, 16062035, 16053090, 16050725, 16050368, 16049710, 16046507, 16045896, 16040423, 16038301, 16024443, 16024442, 16017790, 772814, 772813, 770579, 746703, 743460, 731755, 722683, 716725, 714790, 714016, 53967, 143817, 699233, 694280, 669662, 657544, 640730, 632517, 632516, 622972, 610607, 602401, 601081, 590044, 588482, 579567, 577332, 570345, 554132, 554043, 554368, 554299, 554204, 554084, 554042, 556643, 546857, 508583, 69081, 102957, 52701, 86730, 86576, 86729, 86575, 85459, 70349, 70195, 102439, 69676, 101837, 103107, 86726, 102776, 101843, 86578, 85462, 86731, 70348, 70194, 86057, 69078, 53968, 53814, 85456, 167020, 158363, 107921, 86736, 103057

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substanc-	NFPA	National Fire Protection Agency

Safety Data Sheet

Acetone

Version 2.1

Revision Date: 12/17/2015

	es List		
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50			Lethal Concentration 50%